

July 11, 2018

Mott Community College
1401 East Court St.
Flint, MI 48503

Subject:

20180705_SITES

Dear Ms. Hunt :

Thank you for making Brighton Analytical, L.L.C. your laboratory of choice. Attached are the results for the samples submitted on 07/05/2018 for the above mentioned project. NELAP/TNI Accredited Analysis and MDEQ Drinking Water Certified Analysis will be identified in their respective reporting formats. Hard copies can be supplied at your request for a fee of \$20.00 per copy.

The invoice for this project will be emailed separately. If you have any questions concerning the data or invoice, please don't hesitate to contact our office. We welcome your comments and suggestions to improve our quality systems. Please reference Brighton Analytical, L.L.C. Project ID 51539 when calling or emailing. We thank you for this opportunity to partner with you on this project and hope to work with you again in the future.

Sincerely,
Brighton Analytical, L.L.C.



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:07
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08442**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:22 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:08
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08443**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR S 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 3 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:25 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:10
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08444**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR S 1-3**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|---|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | 1 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:28 | 07/10/2018 |
|-----------------------------|---|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:12
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08445**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR HS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:31 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:21
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08446**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR S 1-4**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:34 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:24
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08447**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR S 1-5**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:37 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 07:27
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08448**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LAPR HS 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:40 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 09:16
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08449**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **NTC S 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:43 | 07/10/2018 |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 09:19
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08450**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **NTC S 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:52 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 09:21
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08451**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **NTC DF 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 1 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 11:55 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 09:23
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08452**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **NTC DF 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:07 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 09:49
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08453**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **GLBC FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:10 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:08
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08454**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **HTC FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:13 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:22
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08455**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 110 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:16 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:24
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08456**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 111 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:19 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:26
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08457**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD HS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:22 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:28
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08458**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 109 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:25 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:30
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08459**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 108 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:34 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:31
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08460**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 106 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:37 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:33
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08461**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 107 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 12:40 | 07/10/2018 |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:34
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08462**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 105 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:00 | 07/10/2018 |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:35
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08463**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 103 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:03 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:36
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08464**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 104 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:06 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:37
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08465**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 102 FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:09 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 10:39
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08466**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **ECD 101 S 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 5 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:12 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 11:25
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08467**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **DN FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:21 | 07/10/2018 |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 11:30
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08468**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **DN HS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------|--------|-------|----|-----|------------------|---------------|---------------|
|--------------|--------|-------|----|-----|------------------|---------------|---------------|

Drinking Water Metal Analysis

| | | | | | | | |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:24 | 07/10/2018 |
|-----------------------------|--------------|------|---|----|------------------|-------|------------|

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:02
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08469**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB FS 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:27 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:04
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08470**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB DF 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:30 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:06
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08471**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB DF 1-3**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 1 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:33 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:20
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08472**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB S 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:45 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:25
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08473**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB S 1-3**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:48 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:29
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08474**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB FS 1-4**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:51 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:23
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08475**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB S 1-5**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 13:54 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:24
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08476**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB S 1-6**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 4 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:03 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:34
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08477**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB DF 1-4**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:06 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:58
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08478**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB DF 1-5**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:09 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 13:02
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08479**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLC DF 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:12 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 
 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 14:55
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08480**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV S 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:15 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 14:57
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08481**


Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV S 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:21 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

 Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 14:58
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08482**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV S 1-3**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:39 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 15:16
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08483**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV DF 1-1**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:42 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 15:16
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08484**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV DF 1-2**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:51 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 15:13
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08485**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV DF 1-3**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:54 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 15:14
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08486**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **LIV DF 1-4**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | 2 | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 14:57 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018



Brighton Analytical LLC
 2105 Pless Drive
 Brighton, Michigan 48114
 Phone: (810)229-7575 (810)229-8650
 e-mail: bai-brighton@sbcglobal.net
 MDNRE Certified #9404
 NELAC Accredited #176507

Sample Date/Time: 07/05/2018 12:27
 Submit Date/Time: 07/05/2018 16:00
 Report Date: 07/11/2018

Mott Community College
 1401 East Court St.
 Flint, MI 48503

BA Project # **51539**
 BA Sample ID **CH08487**

Project Name:
 Project Number: **20180705_SITES**
 Sample ID: **SLB S 1-7**

| Analyte Name | Result | Units | RL | MCL | Method Reference | Analysis Time | Analysis Date |
|--------------------------------------|--------------|-------|----|-----|------------------|---------------|---------------|
| Drinking Water Metal Analysis | | | | | | | |
| Total Lead (Drinking Water) | Not detected | ug/L | 1 | 15 | EPA 200.8 rev5.4 | 15:00 | 07/10/2018 |

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by 

Date 7/11/2018